




Thermo

RTD Product (Order Information)

■ Model : Sheath RTD with lead wire




ORDER INFORMATION

NO. 1 2 3 4 5 6 7 8 9 10
T/C - - - - - - - - - - Temp ° C

1	RTD PT100 Type	PT100		Other	
2	Material sheath	316		SUS316	
3	O.D. (mm)	Single Pair	3.2	4.8	6.4
		Double Pair	3.2	4.8	6.4
		Triple Pair	3.2	4.8	6.4
4	Length (mm)	(Please write by mm.)			
5	Cable type	(Please choose from the parts page)			
6	Cable length (mm)	(Please write by mm.)			
7	Length (mm)	(Please write by mm.)			
8	No. of wire	(Please write by number)			
9	Terminal	Type	Ring terminal	Spade terminal	Pin terminal
		Code	R	S	P
10	Parts	(Please choose from the parts page)			

■ Model : Sheath RTD with conector



ORDER INFORMATION


NO. 1 2 3 4 5 6
T/C - - - - - - Temp ° C

1	Sheath RTD	PT100		Other
2	Material sheath	316		
		SUS316		
3	O.D. (mm)	Single Pair	3.2	4.8
		Double Pair	3.2	4.8
		Triple Pair	3.2	4.8
4	Length (mm)	(Please write by mm.)		
5	Length (mm)	(Please write by mm.)		
6	Parts	(Please choose from the parts page)		



RTD Product (Order Information)

■ Model : RTD with SUS protection tube & Loose Flange




ORDER INFORMATION

NO. T/C - 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 Temp ° C

1	Terminal head	KG	KM	Other														
2	No. of RTD	2 Wire	3 Wire	4 Wire	6 Wire													
3	RTD PT100 Type	(Please choose from the parts page)																
4	Protection tube	Code	316	310	INC													
		Type	SUS316	SUS310S	INCONE													
5	O.D. (mm)	6.0	6.2	8.0	9.0	9.5	10	11	12	12.7	13	13.7	13.8	14	15	15.8	16	
		Other																
6	Length (mm)	(Please write by mm.)																
7	Root Flange	(Please choose from the parts page)																
8	Parts	(Please choose from the parts page)																

■ Model : Sheath RTD with therminal head



ORDER INFORMATION

NO. T/C - 1 - 2 - 3 - 4 - 5 - 6 Temp ° C


1	Terminal head	KG	KM	Other	
2	RTD PT100 Type	PT100	Other		
3	Material sheath	316			
		SUS316			
4	O.D. (mm)	Single Pair	3.2	4.8	6.4
		Double Pair	3.2	4.8	6.4
		Triple Pair	3.2	4.8	6.4
5	Length (mm)	(Please write by mm.)			
6	Parts	(Please choose from the parts page)			



Thermo

RTD Product (Order Information)

■ Model : RTD with teflon tube




ORDER INFORMATION

NO. 1 2 3 4 5 6 7 8 9 10 11 Temp ° C
T/C - - - - - - - - - - - -

1	RTD PT100 Type	PT100			Other												
2	Teflon O.D. (mm)	(Please write by mm.)															
3	Protection tube	Code	316		310		INC										
		Type	SUS316		SUS310S		INCONEL										
4	O.D. (mm)	6.0	6.2	8.0	9.0	9.5	10	11	12	12.7	13	13.7	13.8	14	15	15.8	16
		Other															
5	Length (mm)	(Please write by mm.)															
6	Cable type	(Please choose from the parts page)															
7	Cable length (mm)	(Please write by mm.)															
8	No. of wire	(Please write by number)															
9	Length (mm)	(Please write by mm.)															
10	Terminal	Type	Ring terminal		Spade terminal		Pin terminal		Female disconn		Male disconnect						
		Code	R		S		P		FD		MD						
11	Parts	(Please choose from the parts page)															

■ Model : Protection tube with lead wire



ORDER INFORMATION

NO. 1 2 3 4 5 6 7 8 9 10 Temp ° C
T/C - - - - - - - - - - -

1	Protection tube	Code	316				INC										
2	O.D. (mm)	6.0	6.2	8.0	9.0	9.5	10	11	12	12.7	13	13.7	13.8	14	15	15.8	16
		Other															
3	Length (mm)	(Please write by mm.)															
4	RTD Type	PT100				Other											
5	Cable type	(Please choose from the parts page)															
6	Cable length (mm)	(Please write by mm.)															
7	Length (mm)	(Please write by mm.)															
8	No. of wire	(Please write by number)															
9	Terminal	Type	Ring terminal		Spade terminal		Pin terminal		Female disconnect				Male disconnect				
		Code	R		S		P		FD				MD				
10	Parts	(Please choose from the parts page)															